

Morel Motorsports

Descriptions: (Yellow Fill indicates Changes)

Red - Not Available yet, or Discontinued

U/P - Ultra Pro Pressurized Oiling

T/B - Vert Tie Bar (or Horiz T/B)

P/O - Pressurized Oiling

O/C - On Center

O/S - Offset

HBP - Head Bolt Pattern

NBA - Nascar Bearing & Axle

UFRS - Ultimate Fighter Roller Series

DLC - Diamond-Like Coating

CHEVY SB MECHANICAL ROLLER LIFTERS				
Set#	Pair#	BodyD	RollD	Description
4601	4036	0.842	0.750	SBC .842D HORIZ T/B MECH ROLLER
4604	4588	0.842	0.750	SBC .842D T/B MECH ROLLER +.300 O/C
6591	6590	0.842	0.750	SBC .842D PRO SPORTSMAN, FULL TIME PRESSURE OILING, WORKS WITH SMALL BASE CIRCLE
4843	4842	0.842	0.750	SBC .842D T/B U/P P/O +.300 O/C
				USE ABOVE FOR SB2 HEADS ON STD BLOCK
6690	6689	0.842	0.750	BLACK MAMBA LITE SBC .842D T/B U/P P/O +.300 O/C W/O DLC
				USE ABOVE FOR SB2 HEADS ON STD BLOCK
6475	6474	0.842	0.750	BLACK MAMBA SBC .842D T/B U/P P/O +.300 O/C DLC
				USE ABOVE FOR SB2 HEADS ON STD BLOCK
4838	4836/4837	0.842	0.750	SBC .842D T/B U/P P/O +.300 (.180 L&R INT O/S)
6693	6691/6692	0.842	0.750	BLACK MAMBA LITE SBC .842D T/B U/P P/O +.300 (.150 L&R INT O/S) W/O DLC
6478	6476/6477	0.842	0.750	BLACK MAMBA SBC .842D T/B U/P P/O +.300 (.150 L&R INT O/S) DLC
6190	6189	0.842	0.750	SBC .842D T/B U/P P/O +.300 (.180 INT & EX EA PAIR O/S)
6695	6694	0.842	0.750	BLACK MAMBA LITE SBC .842D T/B U/P P/O +.300 (.150 INT & EX EA PAIR O/S) W/O DLC
6480	6479	0.842	0.750	BLACK MAMBA SBC .842D T/B U/P P/O +.300 (.150 INT & EX EA PAIR O/S) DLC
4914	5920	0.842	0.750	SBC/BUICK .842D T/B U/P P/O (.180 LEFT INT O/S)
6697	6696	0.842	0.750	BLACK MAMBA LITE SBC/BUICK .842D T/B U/P P/O (.150 LEFT INT O/S) W/O DLC
6481	6476	0.842	0.750	BLACK MAMBA SBC/BUICK .842D T/B U/P P/O (.150 LEFT INT O/S) DLC
5919	5918	0.875	0.750	SBC .875D T/B U/P P/O O/C +.200
5910	5909/5908	0.875	0.750	SBC .875D T/B U/P P/O (.180 L&R INT O/S) +.200
7708	7707	0.875	0.750	SBC .875D T/B U/P P/O (.180 INT & EX EA PAIR O/S) +.200
4867	4866	0.903	0.810	SBC .903D T/B U/P P/O +.300 O/C
6708	6707	0.903	0.810	BLACK MAMBA LITE SBC .903D T/B U/P P/O +.300 O/C W/O DLC
6651	6650	0.903	0.810	BLACK MAMBA SBC .903D T/B U/P P/O +.300 O/C DLC
4872	4870/4871	0.903	0.810	SBC .903D T/B U/P P/O +.300 (.180 L&R INT O/S)
6711	6709/6710	0.903	0.810	BLACK MAMBA LITE SBC .903D T/B U/P P/O +.300 (.180 L&R INT O/S) W/O DLC
6654	6652/6653	0.903	0.810	BLACK MAMBA SBC .903D T/B U/P P/O +.300 (.180 L&R INT O/S) DLC
6192	6191	0.903	0.810	SBC .903D T/B U/P P/O +.300 (.180 INT & EX EA PAIR O/S)
6713	6712	0.903	0.810	BLACK MAMBA LITE .903D T/B U/P P/O +.300 (.180 INT & EX EA PAIR O/S) W/O DLC
6656	6655	0.903	0.810	BLACK MAMBA .903D T/B U/P P/O +.300 (.180 INT & EX EA PAIR O/S) DLC
4989	4870	0.903	0.810	SBC/BUICK .903D T/B U/P P/O (.180 LEFT INT O/S)
6715	6709	0.903	0.810	BLACK MAMBA LITE SBC/BUICK .903D T/B U/P P/O (.180 LEFT INT O/S) W/O DLC
6657	6652	0.903	0.810	BLACK MAMBA SBC/BUICK .903D T/B U/P P/O (.180 LEFT INT O/S) DLC
4877	4876	0.936	0.850	BEARING UFRS SBC .936D T/B U/P P/O +.300 O/C

4882	4880/4881	0.936	0.850	BEARING UFRS SBC .936D T/B U/P P/O +.300 (.180 L&R INT O/S)
7563	7562	0.936	0.850	BEARING UFRS SBC .936D T/B U/P P/O +.300 (.180 INT & EX EACH PAIR O/S)
Set#	Each#	BodyD	RollID	Description
6563	6553	0.936	0.850	BLACK MAMBA SBC .936D KEYED P/O O/C DLC
				USE CHE PRODUCTS BUSHING 805-499-8885 PN 1062-936-199U (REQ .060 OIL HOLES)
6564	6553/6555	0.936	0.850	BLACK MAMBA SBC .936D KEYED P/O (8 EX O/C, 8 .180 L & R INT O/S) DLC
				USE CHE PRODUCTS BUSHING 805-499-8885 PN 1062-936-199U (REQ .060 OIL HOLES)
7815	7814	0.936	0.850	BLACK MAMBA SBC .936D KEYED P/O (ALL OFFSET LIFTERS)
				USE CHE PRODUCTS BUSHING 805-499-8885 PN 1062-936-199U (REQ .060 OIL HOLES)
CHEVY SB MECHANICAL ROLLER LIFTERS - DISCONTINUED				
Set#	Pair#	BodyD	RollID	Description
5511	5510	0.842	0.700	DISCONTINUED 05/10/2022 - USE 4601 OR 4604
				SBC .842D T/B STREET PERF MECH ROLLER
CHEVY SB HYDRAULIC ROLLER LIFTERS				
Set#	Pair#	BodyD	RollID	Description
5372	5371	0.842	0.700	SBC .842D T/B STREET PERF HYD ROLLER
7797	7796	0.842	0.700	SBC .842D T/B STREET PERF HYD LIMITED TRAVEL (RACE ONLY)
4602	4215	0.842	0.750	SBC .842D T/B PERF HYD ROLLER
4789	4792	0.842	0.750	SBC .842D T/B HYD LIMITED TRAVEL (RACE ONLY)
5044	5042	0.842	0.750	SBC .842D T/B (HI RPM) HYD RACING
				DO NOT USE OIL HEAVIER THAN 5W40
6917	6914	0.875	0.700	SBC .875D T/B STREET PERF HYD ROLLER
7687	7686	0.875	0.750	SBC .875D T/B (HI RPM) HYD RACING
				DO NOT USE OIL HEAVIER THAN 5W40
5468	5467	0.903	0.810	SBC .903D T/B (HI RPM) P/O HYD O/C RACING
				DO NOT USE OIL HEAVIER THAN 5W40

CHEVY SB HYD ROLLER LIFTERS FACTORY REPLACEMENT				
Set#	Each#	BodyD	RollID	Description
7717	7716	0.842	0.700	SBC .842D STK REP 87-93 5.0,5.7,4.3 & LS, LT .842D STK REP HYD ROLL LOCK RING AXLE FITS LS STOCK LIFTER BOX RECOMMEND MAX CAM LIFT .360" MIN BC 1.445"
7790	7789	0.842	0.700	SBC .842D STK REP 87-93 5.0,5.7,4.3 & LS, LT .842D STK REP HYD ROLL LOCK RING AXLE FITS LS STOCK LIFTER BOX RECOMMEND MAX CAM LIFT .360" MIN BC 1.445" HYD LIMITED TRAVEL (RACE ONLY)
CHEVY LS MECHANICAL ROLLER LIFTERS				
Set#	Each#	BodyD	RollID	Description
4737	5911	0.842	0.750	LS .842D MECH ROLLER FOR STD & HI LIFT FITS LS STOCK LIFTER BOXES
5564	5922	0.936	0.850	LS .936D MECH KEYED .850 ROLLER DIA (REQUIRES KEYED BUSHING)
6565	6557	0.936	0.850	BLACK MAMBA LS .936D KEYED P/O O/C DLC USE CHE PRODUCTS BUSHING 805-499-8885 PN 1062-936-207-U-LS/F (REQ .060 OIL HOLES)
6566	6557/6559	0.936	0.850	BLACK MAMBA LS .936D KEYED P/O (8 EX O/C, 8 .180 L INT O/S) DLC USE CHE PRODUCTS BUSHING 805-499-8885 PN 1062-936-207-U-LS/F (REQ .060 OIL HOLES)
Set#	Pair#	BodyD	RollID	Description
5452	5451	0.842	0.750	LS .842D T/B MECH ROLLER FOR STD & HI LIFT; FITS 5 HBP
5425	5424	0.842	0.750	LS .842D T/B U/P P/O +.300 O/C; FITS 5 & 6 HBP
6717	6716	0.842	0.750	BLACK MAMBA LITE LS .842D T/B U/P P/O +.300 O/C; FITS 5 & 6 HBP W/O DLC
6483	6482	0.842	0.750	BLACK MAMBA LS .842D T/B U/P P/O +.300 O/C; FITS 5 & 6 HBP DLC
6719	6718	0.842	0.750	BLACK MAMBA LITE LS .842D T/B U/P P/O +.300 W/O DLC (.150 LEFT INT O/S); FITS 5 & 6 HBP
6485	6484	0.842	0.750	BLACK MAMBA LS .842D T/B U/P P/O +.300 DLC (.150 LEFT INT O/S); FITS 5 & 6 HBP
6721	6720	0.842	0.750	BLACK MAMBA LITE LS .842D T/B U/P P/O +.300 W/O DLC (.150 INT & EX EA PAIR O/S); FITS 5 & 6 HBP
6487	6486	0.842	0.750	BLACK MAMBA LS .842D T/B U/P P/O +.300 DLC (.150 INT & EX EA PAIR O/S); FITS 5 & 6 HBP
5428	5427	0.903	0.810	LS .903D T/B U/P P/O +.300 O/C; FITS 5 & 6 HBP
6723	6722	0.903	0.810	BLACK MAMBA LITE LS .903D T/B U/P P/O +.300 O/C; FITS 5 & 6 HBP W/O DLC
6659	6658	0.903	0.810	BLACK MAMBA LS .903D T/B U/P P/O +.300 O/C; FITS 5 & 6 HBP DLC
5457	5432	0.903	0.810	LS .903D T/B U/P P/O +.300 (.180 LEFT INT O/S); FITS 5 & 6 HBP
6725	6724	0.903	0.810	BLACK MAMBA LITE LS .903D T/B U/P P/O +.300 (.180 LEFT INT O/S); FITS 5 & 6 HBP W/O DLC
6661	6660	0.903	0.810	BLACK MAMBA LS .903D T/B U/P P/O +.300 (.180 LEFT INT O/S); FITS 5 & 6 HBP DLC
7391	7390	0.903	0.810	BLACK MAMBA LS 10DEG DART HEAD .903D T/B U/P P/O +.300 (.180 RIGHT INT O/S) DLC
6356	6466	0.903	0.810	LS .903D T/B U/P P/O +.300 (.180 INT & EX EA PAIR O/S); FITS 5 & 6 HBP
CHEVY LS MECHANICAL ROLLER LIFTERS - DISCONTINUED				
Set#	Pair#	BodyD	RollID	Description
5989	5988	0.842	0.700	DISCONTINUED 05/10/2022 - USE 5452 LS .842D T/B STREET PERF MECH ROLLER; FITS 5 HBP
CHEVY LS HYDRAULIC ROLLER LIFTERS				
Set#	Each#	BodyD	RollID	Description
4708	5912	0.842	0.750	LS .842D HYD ROLLER FOR STD & HI LIFT FITS LS STOCK LIFTER BOXES
4793	5913	0.842	0.750	LS .842D HYD LIMITED TRAVEL (RACE ONLY) FOR STD & HI LIFT FITS LS STOCK LIFTER BOXES
7717	7716	0.842	0.700	SBC .842D STK REP 87-93 5.0,5.7,4.3 & LS, LT .842D STK REP HYD ROLL LOCK RING AXLE

				FITS LS STOCK LIFTER BOX RECOMMEND MAX CAM LIFT .360" MIN BC 1.445"
7790	7789	0.842	0.700	SBC .842D STK REP 87-93 5.0,5.7,4.3 & LS, LT .842D STK REP HYD ROLL LOCK RING AXLE
				FITS LS STOCK LIFTER BOX RECOMMEND MAX CAM LIFT .360" MIN BC 1.445"
				HYD LIMITED TRAVEL (RACE ONLY)
7820	7728/7716	0.842	0.700	AFM - DOD REPLACEMENT LS/LT (8 PIECES) AND STANDARD REPLACEMENT (8 PIECES)
7729	7728	0.842	0.700	AFM - DOD REPLACEMENT LT (2020-UP)
Set#	Pair#	BodyD	RollID	Description
5290	5289	0.842	0.700	LS .842D T/B STREET PERF HYD ROLLER; FITS 5 HBP
7799	7798	0.842	0.700	LS .842D T/B STREET PERF HYD LIMITED TRAVEL (RACE ONLY) 5 HBP
5206	5205	0.842	0.750	LS .842D T/B HYD ROLLER; FITS 5 & 6 HBP
5850	5849	0.842	0.750	LS .842D T/B HYD LIMITED TRAVEL(RACE ONLY) FITS 5 & 6 HBP
5294	5293	0.842	0.750	LS .842D T/B (HI RPM) O/C HYD ROLLER; FITS 5 & 6 HBP
				DO NOT USE OIL HEAVIER THAN 5W40
7260	7259	0.842	0.750	LS .842D T/B HYD LIMITED TRAVEL(RACE ONLY) FITS 5 & 6 HBP
5472	5471	0.903	0.810	LS .903D T/B (HI RPM) O/C P/O HYD ROLLER; FITS 5 & 6 HBP
				DO NOT USE OIL HEAVIER THAN 5W40
7692	7691	0.903	0.810	LS .903D T/B O/C P/O HYD LIMITED TRAVEL(RACE ONLY) STD BORE SPACING
				DO NOT USE OIL HEAVIER THAN 5W40
CHEVY LS HYDRAULIC ROLLER LIFTERS - DISCONTINUED				
Set#	Pair#	BodyD	RollID	Description
6504	6503	0.842	0.700	DISCONTINUED 01/26/21, REPLACED BY 7717
				LS .842D STK REP POL BODY HYD ROLL LOCK RING AXLE
				FITS LS STOCK ROCKER BOX RECOMMEND MAX CAM LIFT .360" MIN BC 1.445"

CHEVY BB MECHANICAL ROLLER LIFTERS

Set#	Pair#	BodyD	RollID	Description
4677	4676	0.842	0.750	BBC .842D HORIZ T/B MECH ROLLER
4606	4591	0.842	0.750	BBC .842D T/B MECH ROLLER .300 TALL O/C
6593	6592	0.842	0.750	BBC .842D PRO SPORTSMAN, FULL TIME PRESSURE OILING
4845	4844	0.842	0.750	BBC .842D T/B U/P P/O +.300 O/C
6727	6726	0.842	0.750	BLACK MAMBA LITE BBC .842D T/B U/P P/O +.300 O/C W/O DLC
6489	6488	0.842	0.750	BLACK MAMBA BBC .842D T/B U/P P/O +.300 O/C DLC
6039	6038	0.842	0.750	BBC .842D T/B U/P P/O +.300 O/C (NBA)
4841	4839/4840	0.842	0.750	BBC .842D T/B U/P P/O +.300 (.180 L&R INT O/S)
6730	6728/6729	0.842	0.750	BLACK MAMBA LITE BBC .842D T/B U/P P/O +.300 (.150 L&R INT O/S) W/O DLC
6492	6490/6491	0.842	0.750	BLACK MAMBA BBC .842D T/B U/P P/O +.300 (.150 L&R INT O/S) DLC
6042	6040/6041	0.842	0.750	BBC .842D T/B U/P P/O +.300 (.180 L&R INT O/S) (NBA)
6732	6731	0.842	0.750	BLACK MAMBA LITE BBC .842D T/B U/P P/O +.300 (.150 INT & EX EA PAIR O/S) W/O DLC
6494	6493	0.842	0.750	BLACK MAMBA BBC .842D T/B U/P P/O +.300 (.150 INT & EX EA PAIR O/S) DLC
6574	6573	0.875	0.750	BBC .875D T/B U/P P/O +.300 O/C
7281	7279/7280	0.875	0.750	BBC .875D T/B U/P P/O +.200 (.180 L&R INT O/S)
4869	4868	0.903	0.810	BBC .903D T/B U/P P/O .903 +.300 O/C
6734	6733	0.903	0.810	BLACK MAMBA LITE BBC .903D T/B U/P P/O .903 +.300 O/C W/O DLC
6663	6662	0.903	0.810	BLACK MAMBA BBC .903D T/B U/P P/O .903 +.300 O/C DLC
4875	4873/4874	0.903	0.810	BBC .903D T/B U/P P/O +.300 (.180 L&R INT O/S)
6737	6735/6736	0.903	0.810	BLACK MAMBA LITE BBC .903D T/B U/P P/O +.300 (.180 L&R INT O/S) W/O DLC
6666	6664/6665	0.903	0.810	BLACK MAMBA BBC .903D T/B U/P P/O +.300 (.180 L&R INT O/S) DLC
6048	6047	0.903	0.810	BBC .903D T/B U/P P/O +.300 (.180 RIGHT INT O/S)
6738	6736	0.903	0.810	BLACK MAMBA LITE BBC .903D T/B U/P P/O +.300 (.180 RIGHT INT O/S) W/O DLC
6667	6665	0.903	0.810	BLACK MAMBA BBC .903D T/B U/P P/O +.300 (.180 RIGHT INT O/S) DLC
6361	6360	0.903	0.810	BBC .903D T/B U/P P/O +.300 (.180 INT & EX EA PAIR O/S)
6740	6739	0.903	0.810	BLACK MAMBA LITE BBC .903D T/B U/P P/O +.300 (.180 INT & EX EA PAIR O/S) W/O DLC
6669	6668	0.903	0.810	BLACK MAMBA BBC .903D T/B U/P P/O +.300 (.180 INT & EX EA PAIR O/S) DLC
4879	4878	0.936	0.850	BEARING UFRS BBC .936D T/B U/P P/O +.300 O/C
4885	4883/4884	0.936	0.850	BEARING UFRS BBC .936D T/B U/P P/O +.300 (.180 L&R INT O/S)
Set#	Each#	BodyD	RollID	Description
6568	6567	0.936	0.850	BLACK MAMBA BBC .936D KEYED P/O O/C DLC
				USE CHE PRODUCTS BUSHING 805-499-8885 PN 1062-936-199U (REQ .060 OIL HOLES)
6580	6567/6579	0.936	0.850	BLACK MAMBA BBC .936D KEYED P/O (8 EX O/C, 8 .180 L & R INT O/S) DLC
				USE CHE PRODUCTS BUSHING 805-499-8885 PN 1062-936-199U (REQ .060 OIL HOLES)

CHEVY BB MECHANICAL ROLLER LIFTERS - DISCONTINUED

Set#	Pair#	BodyD	RollID	Description
5547	5546	0.842	0.700	DISCONTINUED 05/10/2022 - USE 4677 OR 4606
				BBC .842D T/B STREET PERF MECH ROLLER

CHEVY BB HYDRAULIC ROLLER LIFTERS

Set#	Pair#	BodyD	RollID	Description
5374	5373	0.842	0.700	BBC .842D T/B STREET PERF HYD ROLLER
7801	7800	0.842	0.700	BBC .842D T/B STREET PERF HYD ROLLER LIMITED TRAVEL (RACE ONLY)
4603	4538	0.842	0.750	BBC .842D T/B HYD ROLLER
4795	4794	0.842	0.750	BBC .842D T/B HYD LIMITED TRAVEL (RACE ONLY)
5045	5043	0.842	0.750	BBC.842D T/B (HI RPM) O/C
				DO NOT USE OIL HEAVIER THAN 5W40
7530	7529	0.842	0.750	BBC.842D T/B O/C HYD LIMITED TRAVEL (RACE ONLY)

				DO NOT USE OIL HEAVIER THAN 5W40
7565	7564	0.842	0.700	BBC .875D T/B STREET PERF HYD ROLLER
5470	5469	0.903	0.810	BBC .903D T/B (HI RPM) P/O HYD ROLLER +.300 O/C
				DO NOT USE OIL HEAVIER THAN 5W40
AMC 304-401 CU IN HYD ROLLER LIFTERS				
Set#	Pair#	BodyD	RollD	Description
6076	6075	0.903	0.700	AMC .903D T/B STREET PERF HYD ROLLER
				304-401 CU IN V-8
7803	7802	0.903	0.700	AMC .903D T/B STREET PERF HYD LIMITED TRAVEL (RACE ONLY)
				304-401 CU IN V-8
CADILLAC 425-472-500 HYD ROLLER LIFTERS				
5331	5330	0.842	0.700	CAD .842D T/B STREET PERF HYD ROLLER
BUICK 401-425-455 CU IN HYD ROLLER LIFTERS				
5333	5332	0.842	0.700	BUICK .842D T/B STREET PERF HYD ROLLER
				401-425--455 CU. IN V-8
BUICK 350 CU IN HYD ROLLER LIFTERS				
5386	5385	0.842	0.700	BUICK .842D T/B STREET PERF HYD ROLLER
				350 CU. IN. V-8
BUICK TURBO V-6 HYD ROLLER LIFTERS				
5393	5392	0.842	0.700	BUICK .842D T/B STREET PERF HYD ROLL TURBO V6
6402	6403	0.842	0.700	BUICK .842D T/B V6 TURBO STREET PERF HYD LIMITED TRAVEL(RACE ONLY)

OLDS 400-403-425-455 CU IN HYD ROLLER LIFTERS				
5335	5334	0.842	0.700	OLDS .842D T/B STREET PERF HYD ROLLER
				OLDS 400-403-425-455 CU IN
7805	7804	0.842	0.700	OLDS .842D T/B STREET PERF HYD LIMITED TRAVEL (RACE ONLY)
				OLDS 400-403-425-455 CU IN
HOLDEN V8 HYD ROLLER LIFTERS				
5337	5336	0.842	0.700	HOLDEN .842D T/B STREET PERF HYD ROLLER
CHEVY 348 - 409 CU IN HYD ROLLER LIFTERS				
5339	5338	0.842	0.700	CHEVY .842D T/B STREET PERF HYD ROLLER
				348-409 CU. IN V-8
7807	7806	0.842	0.700	CHEVY .842D T/B STREET PERF HYD LIMITED TRAVEL (RACE ONLY)
				348-409 CU. IN V-8
6087	6086	0.842	0.750	CHEVY .842D T/B PRO HYD ROLLER 348-409 CU. IN.
PONTIAC 400-421-428-455 CU IN HYD ROLLER LIFTERS				
5884	5883	0.842	0.700	PONT .842D T/B STREET PERF HYD ROLLER
				PONT 400-421-428-455 CU IN
7809	7808	0.842	0.700	PONT .842D T/B STREET PERF HYD LIMITED TRAVEL (RACE ONLY)
				PONT 400-421-428-455 CU IN
6398	6397	0.842	0.750	PONT 400-421-428-455 CU IN .842D PERF HYD ROLLER (REQ BLOCK BUSHING)
6451	6452	0.842	0.750	PONT .842D T/B (HI RPM) HYD ROLLER (REQ BLOCK BUSHING)
				DO NOT USE OIL HEAVIER THAN 5W40
FOR ALL PONTIAC LIFTERS ABOVE: WE RECOMMEND USING A CHE BUSHING PART # 1002-842-165-F PH# 805-499-8825 THIS PUTS THE OILING IN THE CORRE				
AMC 304-401 CU IN MECH ROLLER LIFTERS				
Set#	Pair#	BodyD	RollID	Description
7689	7688	0.842	0.750	AMC .842D T/B U/P P/O O/C
7532	7531	0.903	0.810	AMC .903D T/B U/P P/O O/C
7735	7733/7734	0.903	0.810	MOPAR B .903D T/B U/P (.180 L&R INT O/S) PUSHROD OILING
7741	7739/7740	0.842	0.750	AMC .842 BLACK MAMBA LITE
CHEVY 348 - 409 CU IN MECH ROLLER LIFTERS				
6742	6741	0.842	0.750	BLACK MAMBA LITE 409 CHEVY MECH .842D T/B U/P P/O +.300 O/C W/O DLC
6496	6495	0.842	0.750	BLACK MAMBA 409 CHEVY MECH .842D T/B U/P P/O +.300 O/C DLC
PONTIAC 400-421-428-455 CU IN MECH ROLLER LIFTERS				
6744	6743	0.903	0.810	BLACK MAMBA LITE PONT .903D T/B P/O U/P .903 +.300 O/C W/O DLC
7681	7679/7680	0.903	0.810	BLACK MAMBA LITE PONT .903D T/B U/P P/O +.300 (.180 L&R INT O/S) W/O DLC
6671	6670	0.903	0.810	BLACK MAMBA PONT .903D T/B P/O U/P .903 +.300 O/C DLC
7481	7480	0.842	0.750	PONT .842D T/B U/P P/O +.300 O/C
6746	6745	0.842	0.750	BLACK MAMBA LITE PONT .842D T/B U/P P/O +.300 O/C W/O DLC
6498	6497	0.842	0.750	BLACK MAMBA PONT .842D T/B U/P P/O +.300 O/C DLC
7149	7147/7148	0.842	0.750	BLACK MAMBA PONT .842D T/B U/P P/O +.300 O/C (+.150 L&R INT O/S) DLC
FOR ALL PONTIAC LIFTERS ABOVE: WE RECOMMEND USING A CHE BUSHING PART # 1002-842-165-F PH# 805-499-8825 THIS PUTS THE OILING IN THE CORRE				
CONTACT CHE BUSHING AT PH# 805-499-8825 FOR CORRECT PART # FOR 0.903D OR 0.936D LIFTERS				
PONTIAC 4 CYL SUPER DUTY MECH ROLLER LIFTERS				
7774	7773	0.842	0.750	PONT 4CYL SUPER DUTY .842D T/B U/P P/O +.300 O/C
AMERICAN MUSCLE CAR LIFTERS - DISCONTINUED				
Set#	Pair#	BodyD	RollID	Description
5356	5355	0.842	0.700	DISCONTINUED 05/10/22 - NO REPLACEMENT
				CAD .842D T/B MECH STREET PERF ROLLER
				425-472-500 CU. IN V-8

5345	5344	0.842	0.700	DISCONTINUED 05/10/2022 - NO REPLACEMENT
				BUICK .842D T/B MECH STREET PERF ROLLER
				401-425-455 CU. IN. V-8
5555	5554	0.842	0.700	DISCONTINUED 05/10/2022 - NO REPLACEMENT
				BUICK .842D T/B STREET PERF MECH ROLLER
5553	5552	0.842	0.700	DISCONTINUED 05/10/2022 - NO REPLACEMENT
				BUICK .842D T/B STREET PERF MECH ROLLER
5343	5342	0.842	0.700	DISCONTINUED 05/10/2022 - NO REPLACEMENT
				HOLDEN .842D T/B STREET PERF MECH ROLLER
5347	5346	0.842	0.700	DISCONTINUED 05/10/2022 - NO REPLACEMENT
				CHEVY 348 409 .842D T/B STREET PERF MECH ROLLER
6392	6391	0.903	0.810	DISCONTINUED 10/15/21, REPLACED BY 6744
				BUSHING UFRS PONT .903D T/B P/O U/P .903 +.300 O/C
6400	6399/6401	0.842	0.750	DISCONTINUED 10/15/21, REPLACED BY 6746
				BUSHING UFRS PONT .842D T/B U/P P/O +.300 (.180 L&R INT O/S)
NASCAR KEYED ROLLER LIFTERS				
Set#	Each#	BodyD	RollD	Description
7755	7446	0.936	0.850	RO-7 .936D KEYWAY P/O NASCAR DLC COATED
				FULL TIME OILING FIXED SEAT
				USE KEY 7447
7754	7753	0.936	0.850	RO-7 .936D KEYWAY P/O NASCAR DLC COATED
				USES NEW AXLE CLIP AND NEW SEAT FOR CLIP

FORD SB MECH ROLLER LIFTERS

Set#	Pair#	BodyD	RollD	Description
7699	7698	0.875	0.750	FORD WIND/CLEV PRO SPORTSMAN 0.875D T/B P/O O/C
4713	4712	0.875	0.750	FORD WIND .875D T/B MECH ROLLER
5411	5412	0.875	0.750	FORD CLEV .875D T/B MECH ROLLER
5436	5435	0.875	0.750	FORD WIND .875D T/B U/P P/O
				302 REQUIRED REMOVAL OF HEADS TO INSTALL
6152	6151	0.875	0.750	BUSHING UFRS FORD WIND .875D T/B U/P P/O
5440	5439	0.875	0.750	FORD CLEV .875D T/B U/P P/O 351-400 CU IN
6154	6153	0.875	0.750	BUSHING UFRS FORD CLEV .875D T/B U/P P/O 351-400 CU IN
5557	5556	0.875	0.750	FORD WIND .875D T/B U/P P/O (.180 RIGHT INT O/S)
6156	6155	0.875	0.750	BUSHING UFRS FORD WIND .875D T/B U/P P/O (.180 RIGHT INT O/S)
7146	7145	0.875	0.750	FORD WIND .875D T/B U/P P/O (.180 INT & EX EA PAIR O/S)
6243	6242	0.875	0.750	BUSHING FORD WIND .875D T/B U/P P/O (.180 INT & EX EA PAIR O/S)
5490	5489	0.903	0.810	FORD SB 351 .903D T/B U/P P/O O/C
6158	6157	0.903	0.810	BUSHING UFRS FORD SB 351 .903D T/B U/P P/O O/C
6756	6755	0.903	0.810	BLACK MAMBA LITE FORD SB 351 .903D T/B U/P P/O O/C W/O DLC
6673	6672	0.903	0.810	BLACK MAMBA FORD SB 351 .903D T/B U/P P/O O/C DLC
5488	5487	0.903	0.810	FORD SB 351 .903D T/B U/P P/O (.180 RIGHT INT O/S)
6160	6159	0.903	0.810	BUSHING UFRS FORD SB 351 .903D T/B U/P P/O (.180 RIGHT INT O/S)
6758	6757	0.903	0.810	BLACK MAMBA LITE FORD SB 351 .903D T/B U/P P/O (.180 RIGHT INT O/S) W/O DLC
6675	6674	0.903	0.810	BLACK MAMBA FORD SB 351 .903D T/B U/P P/O (.180 RIGHT INT O/S) DLC
6396	6395	0.903	0.810	BUSHING .903D UFRS FORD SB 351 WINDSOR (.180 INT & EX EA PAIR O/S)
6760	6759	0.903	0.810	BLACK MAMBA LITE FORD SB 351 WINDSOR (.180 INT & EX EA PAIR O/S) W/O DLC
6677	6676	0.903	0.810	BLACK MAMBA FORD SB 351 WINDSOR (.180 INT & EX EA PAIR O/S) DLC
6365	6364	0.936	0.850	BUSHING UFRS WIND .936D T/B U/P P/O O/C
7551	7550	0.936	0.850	FORD SB 351 .936D T/B U/P P/O (.180 RIGHT INT O/S)
6415	6414	0.936	0.850	BUSHING UFRS WIND .936D T/B U/P P/O (.180 RIGHT INT O/S)
7142	7143	0.936	0.850	BUSHING .936D UFRS FORD SB 351 WINDSOR (.180 INT & EX EA PAIR O/S)
Set#	Each#	BodyD	RollD	Description
6582	6581	0.936	0.850	BLACK MAMBA FORD WIND .936D KEYED P/O O/C DLC
				USE CHE PRODUCTS BUSHING 805-499-8885 PN 1062-936-207-U-LS/F (REQ .060 OIL HOLES)
6584	6581/6583	0.936	0.850	BLACK MAMBA FORD WIND .936D KEYED P/O (8 EX O/C, 8 .180 R INT O/S) DLC
				USE CHE PRODUCTS BUSHING 805-499-8885 PN 1062-936-207-U-LS/F (REQ .060 OIL HOLES)

FORD BB MECH ROLLER LIFTERS

Set#	Pair#	BodyD	RollD	Description
7703	7702	0.875	0.750	FORD BB/FE PRO SPORTSMAN 0.875D T/B P/O O/C
4719	4718	0.875	0.750	FORD BB 429-460 .875D T/B MECH ROLLER
4726	4725	0.875	0.750	FORD FE 352-390-410-428 CU IN .875D T/B MECH ROLLER
5456	5455	0.875	0.750	FORD BB 429-460 .875D T/B U/P P/O
6162	6161	0.875	0.750	BUSHING UFRS FORD BB 429-460 .875D T/B U/P P/O
5454	5453	0.875	0.750	FORD BB(FE) .875D T/B U/P P/O 352-390-410-428
6164	6163	0.875	0.750	BUSHING UFRS FORD BB(FE) .875D T/B U/P P/O 352-390-410-428
6530	6529	0.875	0.750	BUSHING UFRS FORD BB(FE) 352-390-410-428
				.875D T/B U/P P/O (.180 INT & EX EA PAIR O/S)
7534	7533	0.875	0.750	FORD BB 429-460 .875D T/B U/P P/O (.180 INT & EX EA PAIR O/S)
5505	5504	0.903	0.810	FORD BB 429-460 .903D T/B U/P P/O O/C
6166	6165	0.903	0.810	BUSHING UFRS FORD BB 429-460 .903D T/B U/P P/O O/C
7555	7554	0.903	0.810	FORD BB(FE) .903D T/B U/P P/O 352-390-410-428

6770	6769	0.903	0.810	BLACK MAMBA LITE FORD BB 429-460 .903D T/B U/P P/O O/C W/O DLC
6679	6678	0.903	0.810	BLACK MAMBA FORD BB 429-460 .903D T/B U/P P/O O/C DLC
5506	5507	0.903	0.810	FORD BB 429-460 .903D T/B U/P P/O (.180 RIGHT INT O/S)
6168	6167	0.903	0.810	BUSHING UFRS FORD BB 429-460 .903D T/B U/P P/O (.180 RIGHT INT O/S)
6772	6771	0.903	0.810	BLACK MAMBA LITE FORD BB 429-460 .903D T/B U/P P/O (.180 RIGHT INT O/S) W/O DLC
6681	6680	0.903	0.810	BLACK MAMBA FORD BB 429-460 .903D T/B U/P P/O (.180 RIGHT INT O/S) DLC
6532	6531	0.936	0.850	BUSHING UFRS FORD BB(FE) 352-390-410-428
				.936 T/B U/P P/O (.180 INT & EX EA PAIR O/S)
FORD SB/BB HYD ROLLER LIFTERS				
Set#	Pair#	BodyD	RollID	Description
5323	5322	0.875	0.700	FORD WIND/CLEV .875D T/B STREET PERF HYD ROLLER (302 CU IN REQ HEAD REMOVAL TO INSTALL LIFTERS)
5327	5326	0.875	0.700	FORD WIND/CLEV .875D T/B HYD LIMITED TRAVEL(RACE ONLY) (302 CU IN REQ HEAD REMOVAL TO INSTALL LIFTERS)
5879	5878	0.875	0.750	FORD WIND/CLEV .875D T/B (HI RPM) HYD ROLLER DO NOT USE OIL HEAVIER THAN 5W40
7262	7261	0.875	0.700	FORD WIND/CLEV .875D T/B HYD LIMITED TRAVEL(RACE ONLY) (302 CU IN REQ HEAD REMOVAL TO INSTALL LIFTERS)
6083	6082	0.903	0.810	FORD WIND/CLEV .903D T/B (HI RPM) HYD ROLLER DO NOT USE OIL HEAVIER THAN 5W40
5325	5324	0.875	0.700	FORD BB 429-460 & FE .875D T/B STREET PERF HYD ROLLER
5329	5328	0.875	0.700	FORD BB 429-460 & FE .875D T/B HYD LIMITED TRAVEL(RACE ONLY)
5891	5890	0.875	0.750	FORD BB 429-460 & FE .875D T/B (HI RPM) HYD ROLLER DO NOT USE OIL HEAVIER THAN 5W40
6085	6084	0.903	0.810	FORD BB 429-460 & FE .903D T/B (HI RPM) HYD ROLLER DO NOT USE OIL HEAVIER THAN 5W40

CHRY TOP ALCOHOL ROLLER LIFTERS				
Set#	Pair#	BodyD	RollID	Description
5446	5445	0.903	0.810	CHRY .903D T/B TOP ALCOHOL 2.000 BORE SPACE (NO PUSHROD OILING)
6647	6646	0.903	0.810	CHRY .903D T/B (STOCK 426 HEMI BLOCK 1.800 BORE SPACE) (NO PUSHROD OILING)
4849	4551	1.000	0.920	CHRY TOP FUEL 1.000 SINGLE ROLLER BOTH SIDES (NO PUSHROD OILING)
CHRY MECH ROLLER LIFTERS				
Set#	Pair#	BodyD	RollID	Description
4723	4722	0.903	0.750	MOPAR A .903D T/B MECH ROLLER NO PUSHROD OIL
4730	4729	0.903	0.750	MOPAR B .903D T/B MECH ROLLER NO PUSHROD OIL
5260	5259	0.903	0.810	MOPAR A .903D T/B U/P P/O O/C PUSHROD OILING
7817	7816	0.903	0.810	MOPAR SB. R-1 / 48 DEGREE .903D T/B U/P O/C PUSHROD OILING
6774	6773	0.903	0.810	BLACK MAMBA LITE MOPAR A .903D T/B U/P P/O O/C W/O DLC W/PUSHROD OILING
6683	6682	0.903	0.810	BLACK MAMBA MOPAR A .903D T/B U/P P/O O/C DLC W/PUSHROD OILING
6535	6533/6534	0.903	0.810	MOPAR A .903D T/B U/P P/O (.180 L&R INT O/S) PUSHROD OILING
5270	5269	0.903	0.810	MOPAR B .903D T/B U/P O/C PUSHROD OILING
7309	7308	0.903	0.810	MOPAR B .903D T/B U/P O/C (2.000 BORE SPACE) PUSHROD OILING
6776	6775	0.903	0.810	BLACK MAMBA LITE MOPAR B .903D T/B U/P O/C W/O DLC W/PUSHROD OILING
6685	6684	0.903	0.810	BLACK MAMBA MOPAR B .903D T/B U/P O/C DLC PUSHROD OILING
5561	5560/5559	0.903	0.810	MOPAR B .903D T/B U/P (.180 L&R INT O/S) PUSHROD OILING
6779	6777/6778	0.903	0.810	BLACK MAMBA LITE MOPAR B .903D T/B U/P (.180 L&R INT O/S) W/O DLC W/PUSHROD OILING
6688	6686/6687	0.903	0.810	BLACK MAMBA MOPAR B .903D T/B U/P (.180 L&R INT O/S) DLC PUSHROD OILING
CHRY HYDRAULIC ROLLER LIFTERS				
Set#	Pair#	BodyD	RollID	Description
5321	5320	0.903	0.700	MOPAR SB .903D STREET PERF HYD ROLLER FITS MAGNUM ENGS AND EARLY LA SERIES BLOCKS
7811	7810	0.903	0.700	MOPAR SB .903D STREET PERF HYD ROLLER LIMITED TRAVEL (RACE ONLY) FITS MAGNUM ENGS AND EARLY LA SERIES BLOCKS
6072	6071	0.903	0.810	MOPAR A RACING .903D T/B (HI RPM) HYD ROLLER DO NOT USE OIL HEAVIER THAN 5W40
7358	7357	0.903	0.810	MOPAR A RACING .903D T/B HYD LIMITED TRAVEL (RACE ONLY)
5319	5318	0.903	0.700	MOPAR B .903D T/B STREET PERF HYD ROLLER
7813	7812	0.903	0.700	MOPAR B .903D T/B STREET PERF HYD ROLLER LIMITED TRAVEL (RACE ONLY)
6074	6073	0.903	0.810	MOPAR B .903D T/B (HI RPM) HYD ROLLER DO NOT USE OIL HEAVIER THAN 5W40
7360	7359	0.903	0.810	MOPAR B .903D T/B HYD LIMITED TRAVEL (RACE ONLY)
CHRY VIPER V-10				
Set#	Pair#	BodyD	RollID	Description
6434	6433	0.842	0.750	VIPER V10 .842D T/B U/P P/O +.300 O/C MECH ROLLER
6633	6632	0.842	0.750	BLACK MAMBA VIPER V10 .842D T/B U/P P/O +.300 (.180 INT & EX EA PAIR O/S) DLC
6436	6435	0.903	0.810	VIPER V10 .903D T/B U/P P/O +.300 O/C MECH ROLLER
6438	6437	0.842	0.700	VIPER V10 .842D STREET PERF HYD ROLLER